

GRABBER
CONSTRUCTION PRODUCTS

"The Professional's Choice"™

R GRABBER®
R GRABBER®
GRABBER®
GRABBER®
GRABBER®
RABBER®
RABBER®
RABBER®
RABBER®
RABBER®
RABBER®
RABBER®
RABBER®
RABBER®
RABBER®
RABBER®
RABBER®
RABBER®
R GRABBER®
R GRABBER®



www.grabbercanada.ca



Index

Drywall Screws

- Bugle head coarse screws - drywall to wood attachment
- Bugle head laminator screws - drywall to drywall attachment
- Bugle head fine thread screws - drywall to light gauge metal attachment
- Bugle head drill point screws - drywall to heavy gauge metal attachment

Interior Wood

- Trim head fine thread screws - trim to wood or metal attachment
- Flat head wood screws - general wood construction

Exterior Construction

- Flat Head Wood Screws - exterior wood construction
- Trim Head - Composite deck screw
- Cement Board Screw - attach to wood & steel
- Drywall nails

Heavy Gauge Metal Framing - Self Drilling Screws

- Pan head drill point screws - heavy gauge metal framing
- Wafer head drill point screws - lath attachment
- Hex head drill point - general metal to metal construction

Light Gauge Metal Framing - Self Tapping Screws

- Pan Head Vector™ point screws - light gauge metal framing
- Wafer Head Vector™ point screws - light gauge metal framing
- Pan head fine thread Streaker® screws - light gauge metal framing
- Wafer head fine thread Streaker® screws - lath to light gauge metal attachment
- Hex head fine thread Streaker® screws - metal to light gauge metal framing

Acoustical Eye-Lag Screws

Eye Lag Poles

CB Clips

Toggle Bolts

Small Box Program

SuperDrive®

- SuperDrive® Tools
- Metal Frame - Collated Screws
- Wood Frame - Collated Screws

Insert Bits and Bit Holders

Temporary Carpet Protection

Deckmaster®

3	Joist Jaw™	13
3	Utility Knives	13
3	Mesh Tape	13
3	Abrasives	13
3-4	Adhesives & Fire Caulk	14
3	Screw Drivers	15
4	Sandpaper	15
4	Spray Adhesive	15
4	No-Coat®	16
4	Levelline®	17
5	AquaBead®	18
5	PanelMax®	19

About Grabber

Grabber Construction Products began in 1967 when John "Brad" Wagner was working as a sales representative for a major construction products company and decided that he could build a better screw than what was currently available. Armed with an engineering degree from Rensselaer Polytechnic Institute, Brad set out to create what is now known as the Grabber screw. One innovative product at a time, Brad grew the modern day Grabber Construction Products company.

Grabber is an international distributor of premium fasteners and fastening systems for wood, metal, and drywall applications in the commercial and residential construction markets. Grabber is home to the Deckmaster® Hidden Fastening System, the patented LOX® Drive System, and the SuperDrive® Auto-Feed Fastening System. Grabber also distributes a wide range of proprietary tools and accessories, various equipment and building materials to the construction industry.

The Grabber organization is well established in the walls and ceilings industry with more than a 25-year partnership with the Association of the Wall and Ceiling Industry (AWCI) organization. This relationship has helped establish a strong base, which has fostered phenomenal growth and success in the construction products industry. Grabber Construction Products is dedicated, as it has always been, to providing the best, most technologically advanced construction products available on the market today.

Coatings and Finishes

Black/GREY Phosphate Salt spray results ASTM B117 12-24 hours, no red rust

Recommended for interior applications

Clear Zinc

Salt spray results ASTM B117 24-48 hours, no red rust

Recommended for interior applications and exterior application that will be encapsulated the fasteners, i.e. attachment of lathing prior to application of stucco.

Yellow Zinc

Salt spray results ASTM B117 48-96 hours, no red rust

Recommended for interior applications and exterior application that will be encapsulated the fasteners, i.e. attachment of lathing prior to application of stucco.

Salt spray results ASTM B117 1000 hours, 15 cycles Kesternich per DIN 50018, no red rust

GrabberGard® metal finish is a high-grade proprietary metal surface processing technology that prevents corrosion. It is a duplex coating constituting a zinc substrate and organic polymer topcoat. The distinguishing feature of GrabberGard® is the joining and encapsulation the substrate with the fused organic surface coating. These layers are bonded together through thermal fusion, and this unique method of combining layers results in a combination of the coating films. GrabberGard® treatment does not attribute its anti-corrosion properties to any single material, but the synergy of these two layers, which when combined has superb corrosion resistant qualities. Suitable for use in non coastal areas with all pressure treated lumbars including ACQ.

Grabber DRIVAL® fasteners are protected against hydrogen embrittlement failure.

Hydrogen embrittlement (HE) refers to any time-delayed failure mechanism that is aggravated or accelerated because of the presence of hydrogen. Most self-drilling fasteners are case-hardened, which provides the necessary hardness for drilling and tapping, but leaves the screws vulnerable to (HE) due to their high surface hardness and the opportunity for introduction of hydrogen during the electroplating and cold working manufacturing processes.

DRIVAL® fasteners are specially designed and processed to help prevent hydrogen-induced brittle failures. Each fastener undergoes a post plating baking process to ensure the optimal combination of hardness and hydrogen relief required for maximum performance in the field.

Testing of this product, in accordance with ASTM standards, has proven that DRIVAL® fasteners provide the same resistance to hydrogen embrittlement (HE) failure as a grade 5 fastener. Grabber's hardening and baking processes provide unmatched performance.



Drywall Screws and Nails

Bugle Head GRABBER®



INTERIOR WOOD Drywall

Attaches gypsum board to wood with superior holding power. Extra sharp point and threads make driving easier.

No. 2 Phillips recess
Bugle head, coarse thread

Coating: Grey phosphate

SIZE	PART NO.	WEIGHT	QTY	DESCRIPTION
6 X 1-1/8	200	32lbs	10M	BUGLE HEAD, #2PHIL, COARSE THREAD, GREY PHOSPHATE
6 X 1-1/4	300	33lbs	8M	BUGLE HEAD, #2PHIL, COARSE THREAD, GREY PHOSPHATE
6 X 1-5/8	400	22lbs	5M	BUGLE HEAD, #2PHIL, COARSE THREAD, GREY PHOSPHATE
7 X 2	500	21lbs	3.5M	BUGLE HEAD, #2PHIL, COARSE THREAD, GREY PHOSPHATE
7 X 2-1/4	600	20lbs	3M	BUGLE HEAD, #2PHIL, COARSE THREAD, GREY PHOSPHATE
8 X 2-1/2	900	25lbs	2.5M	BUGLE HEAD, #2PHIL, COARSE THREAD, GREY PHOSPHATE
8 X 3	1100	22lbs	2M	BUGLE HEAD, #2PHIL, COARSE THREAD, GREY PHOSPHATE

INTERIOR WOOD General



Ideal for general purpose interior wood applications.

No. 2 Phillips recess
Bugle head, coarse thread

Coating: Yellow Zinc

SIZE	PART NO.	WEIGHT	QTY	DESCRIPTION
6 X 1-1/4	300YZ	33lbs	8M	BUGLE HEAD, #2PHIL, COARSE THREAD, YELLOW ZINC
6 X 1-5/8	400YZ	22lbs	5M	BUGLE HEAD, #2PHIL, COARSE THREAD, YELLOW ZINC
7 X 1 3/4	375YZ	27lbs	5M	BUGLE HEAD, #2PHIL, COARSE THREAD, YELLOW ZINC
7 X 2	500YZ	21lbs	3.5M	BUGLE HEAD, #2PHIL, COARSE THREAD, YELLOW ZINC
8 X 2-1/2	900YZ	25lbs	2.5M	BUGLE HEAD, #2PHIL, COARSE THREAD, YELLOW ZINC
8 X 3	1100YZ	22lbs	2M	BUGLE HEAD, #2PHIL, COARSE THREAD, YELLOW ZINC

Bugle Head Laminator



INTERIOR WOOD Drywall

For temporary fastening of gypsum in laminated drywall construction.

No. 2 Phillips recess
Bugle head, coarse thread

Coating: Grey phosphate

SIZE	PART NO.	WEIGHT	QTY	DESCRIPTION
10 X 1-1/2	12	37lbs	5M	BUGLE HEAD, #2PHIL, COARSE THREAD, GREY PHOSPHATE

Use with Grabber drywall adhesive, item number: **GDWAF**

Bugle Head Streaker®



LIGHT GAUGE METAL Drywall


Attaches gypsum board to 25-20 ga. steel. Standard bugle head.

No. 2 Phillips recess
Bugle head, fine thread

Coating: Grey phosphate,
Yellow Zinc

SIZE	PART NO.	WEIGHT	QTY	DESCRIPTION
6 X 1	168	29lbs	10M	BUGLE HEAD, #2PHIL, FINE THREAD, GREY PHOSPHATE
6 X 1-1/8	268	32lbs	10M	BUGLE HEAD, #2PHIL, FINE THREAD, GREY PHOSPHATE
6 X 1-1/4	368	30lbs	8M	BUGLE HEAD, #2PHIL, FINE THREAD, GREY PHOSPHATE
6 X 1-1/4	368YZ	30lbs	8M	BUGLE HEAD, #2PHIL, FINE THREAD, YELLOW ZINC
6 X 1-5/8	468	22lbs	5M	BUGLE HEAD, #2PHIL, FINE THREAD, GREY PHOSPHATE
6 X 2	768	20lbs	3.5M	BUGLE HEAD, #2PHIL, FINE THREAD, GREY PHOSPHATE
7 X 2-1/4	868	20lbs	3M	BUGLE HEAD, #2PHIL, FINE THREAD, GREY PHOSPHATE
8 X 2-1/2	968	20lbs	2.5M	BUGLE HEAD, #2PHIL, FINE THREAD, GREY PHOSPHATE
8 X 3	1168	22lbs	2M	BUGLE HEAD, #2PHIL, FINE THREAD, GREY PHOSPHATE
10 X 3-1/2	1268YZ	17lbs	1M	BUGLE HEAD, #2PHIL, FINE THREAD, YELLOW ZINC
10 X 4	1368YZ	21lbs	1M	BUGLE HEAD, #2PHIL, FINE THREAD, YELLOW ZINC
10 X 5	1568YZ	24lbs	1M	BUGLE HEAD, #2PHIL, FINE THREAD, YELLOW ZINC
10 X 6	1768YZ	28lbs	1M	BUGLE HEAD, #2PHIL, FINE THREAD, YELLOW ZINC

Scavenger® Head Driller



HEAVY GAUGE METAL Drywall

Attaches gypsum, insulation board, wood, etc. to metal studs 20-14 ga.

No. 2 Phillips recess
Scavenger head, drill point

Coating: clear zinc

SIZE	PART NO.	WEIGHT	QTY	DESCRIPTION
6 X 1	135Z	33lbs	10M	SCAVENGER HEAD, DRILL POINT, #2PHIL, CLEAR ZINC
6 X 1-1/4	145Z	33lbs	8M	SCAVENGER HEAD, DRILL POINT, #2PHIL, CLEAR ZINC
6 X 1-5/8	155Z	22lbs	5M	SCAVENGER HEAD, DRILL POINT, #2PHIL, CLEAR ZINC
6 X 1-7/8	165Z	26lbs	4M	SCAVENGER HEAD, DRILL POINT, #2PHIL, CLEAR ZINC
8 X 2-3/8	305SZ	28lbs	3M	SCAVENGER HEAD, DRILL POINT, #2PHIL, CLEAR ZINC
8 X 2-5/8	30MSZ	20lbs	2M	SCAVENGER HEAD, DRILL POINT, #2PHIL, CLEAR ZINC
8 X 3	30LSZ	22lbs	2M	SCAVENGER HEAD, DRILL POINT, #2PHIL, CLEAR ZINC
10 X 4	B10400SDZ	24lbs	1M	SCAVENGER HEAD, DRILL POINT, #2PHIL, CLEAR ZINC
10 X 5	B10500SDZ	26lbs	1M	SCAVENGER HEAD, DRILL POINT, #2PHIL, CLEAR ZINC

Interior Wood

Trim Head Streaker®



LIGHT GAUGE METAL Trim

Attaches wood trim over single or double layer gypsum board, to wood or to 25-20 ga. steel.

No. 1 Square recess
Trim head, fine thread

Coating: Grey phosphate

SIZE	PART NO.	WEIGHT	QTY	DESCRIPTION
7 X 1-5/8	175	49lbs	10M	TRIM HEAD, FINE THREAD, #1SQ, GREY PHOSPHATE
7 X 2-1/4	185	34lbs	5M	TRIM HEAD, FINE THREAD, #1SQ, GREY PHOSPHATE
8 X 3	17576	21lbs	2M	TRIM HEAD, FINE THREAD, #1SQ, GREY PHOSPHATE



Interior Wood

Flat Head Woody's



INTERIOR WOOD General

Zinc finished screws for interior projects such as cabinets, paneling, furniture, wood framing, stairs, wood trim & more.


No. 2 Square recess. Flat head, coarse thread, Type 17 point

Coating: Yellow zinc

SIZE	PART NO.	WEIGHT	QTY	DESCRIPTION
8 X 1-1/8	78118YZ	31lbs	6M	FLAT HEAD, COARSE THREAD, YELLOW ZINC
8 X 1-1/4	78125YZ	32lbs	6M	FLAT HEAD, COARSE THREAD, YELLOW ZINC
8 X 1-1/2	78150YZ	31lbs	5M	FLAT HEAD, COARSE THREAD, YELLOW ZINC
8 X 1-3/4	78175YZ	28lbs	4M	FLAT HEAD, COARSE THREAD, YELLOW ZINC
8 X 2	78200YZ	25lbs	3M	FLAT HEAD, COARSE THREAD, YELLOW ZINC
8 X 2 1/2	782508YZ	22lbs	2.5M	FLAT HEAD, COARSE THREAD, YELLOW ZINC
8 X 3	783008YZ	22lbs	2M	FLAT HEAD, COARSE THREAD, YELLOW ZINC
10 X 3	78300010YZ	23lbs	1.5M	FLAT HEAD, COARSE THREAD, YELLOW ZINC
10 X 3-1/2	78350YZ	19lbs	1M	FLAT HEAD, COARSE THREAD, YELLOW ZINC
10 X 4	78400YZ	21lbs	1M	FLAT HEAD, COARSE THREAD, YELLOW ZINC
10 X 5	78500YZ	26lbs	1M	FLAT HEAD, COARSE THREAD, YELLOW ZINC
10 X 6	78600YZ	31lbs	1M	FLAT HEAD, COARSE THREAD, YELLOW ZINC

Exterior Construction

Flat Head Woody's



EXTERIOR WOOD General

WOODYS with GrabberGard® All-Weather Finish for any Exterior Project, Decks, fences, Siding, Lattice, Docks & More.

No. 2 Square recess. Flat head, coarse thread, Type 17 point

Coating: Green GrabberGard®, Brown GrabberGard®

SIZE	PART NO.	WEIGHT	QTY	DESCRIPTION
8 X 1 1/4	78125GRG	28lbs	6M	FLAT HEAD, COARSE THREAD, GREEN GRABBERGARD
8 X 1 1/4	78125BRG	28lbs	6M	FLAT HEAD, COARSE THREAD, BROWN GRABBERGARD
8 X 1 1/2	78150GRG	28lbs	5M	FLAT HEAD, COARSE THREAD, GREEN GRABBERGARD
8 X 1 1/2	78150BRG	28lbs	5M	FLAT HEAD, COARSE THREAD, BROWN GRABBERGARD
8 X 1 3/4	78175GRG	26lbs	4M	FLAT HEAD, COARSE THREAD, GREEN GRABBERGARD
8 X 1 3/4	78175BRG	26lbs	4M	FLAT HEAD, COARSE THREAD, BROWN GRABBERGARD
8 X 2	78200GRG	22lbs	3M	FLAT HEAD, COARSE THREAD, GREEN GRABBERGARD
8 X 2	78200BRG	22lbs	3M	FLAT HEAD, COARSE THREAD, BROWN GRABBERGARD
8 X 2 1/2	782508GRG	22lbs	2.5M	FLAT HEAD, COARSE THREAD, GREEN GRABBERGARD
8 X 2 1/2	782508BRG	22lbs	2.5M	FLAT HEAD, COARSE THREAD, BROWN GRABBERGARD
8 X 3	783008GRG	22lbs	2M	FLAT HEAD, COARSE THREAD, GREEN GRABBERGARD
8 X 3	783008BRG	22lbs	2M	FLAT HEAD, COARSE THREAD, BROWN GRABBERGARD
10 X 3 1/2	78350GRG	19lbs	1M	FLAT HEAD, COARSE THREAD, GREEN GRABBERGARD
10 X 3 1/2	78350BRG	19lbs	1M	FLAT HEAD, COARSE THREAD, BROWN GRABBERGARD
10 X 4	78400GRG	21lbs	1M	FLAT HEAD, COARSE THREAD, GREEN GRABBERGARD
10 X 4	78400BRG	21lbs	1M	FLAT HEAD, COARSE THREAD, BROWN GRABBERGARD
10 X 5	78500BRG	26lbs	1M	FLAT HEAD, COARSE THREAD, BROWN GRABBERGARD

TRIM HEAD STREAKER®



EXTERIOR WOOD General

Used to attach composite decking to light gauge metal or wood. Streaker Point means quick and easy penetration while the smaller, less noticeable head provides a finished look.

No. 1 Square recess. Trim head, fine thread, Type 17 point

Coating: Grey GrabberGard®

SIZE	PART NO.	WEIGHT	QTY	DESCRIPTION
7 X 2 1/4	18SRG	32lbs	5M	TRIM HEAD, FINE THREAD, GREY GRABBERGARD
8 X 3	17S76RG	21lbs	2M	TRIM HEAD, FINE THREAD, GREY GRABBERGARD

Flat Wafer Head



For Wood

For Metal

CEMENT BOARD Sheathing

Attaches cement board to wood and steel. With .40 diameter head and GrabberGard® Exterior Coating.

No. 2 Phillips recess Flat wafer head, high-low thread or drill point

Coating: Grey GrabberGard®

SIZE	PART NO.	WEIGHT	QTY	DESCRIPTION
For Wood				
8 X 1-1/4	GCB8125HL	37lbs	5M	FLAT WAFER HEAD, ALT THREAD, #2PHIL, GRABBERGARD
8 X 1-5/8	GCB8158HL	31lbs	4M	FLAT WAFER HEAD, ALT THREAD, #2PHIL, GRABBERGARD
8 X 2-3/8	GCB8238HL	28lbs	3M	FLAT WAFER HEAD, ALT THREAD, #2PHIL, GRABBERGARD
For Metal				
8 X 1-1/4	GCB8125SD	37lbs	5M	FLAT WAFER HEAD, SELF DRILL, #2PHIL, GRABBERGARD
8 X 1-5/8	GCB8158SD	27lbs	4M	FLAT WAFER HEAD, SELF DRILL, #2PHIL, GRABBERGARD
8 X 2-3/8	GCB8238SD	29lbs	3M	FLAT WAFER HEAD, SELF DRILL, #2PHIL, GRABBERGARD

Drywall Nails

Drywall Nails



INTERIOR WOOD Drywall

Coating: Electro Galvanized or Blued

Quantity: 50 lbs per box

SIZE	PART NO.	WEIGHT	QTY	DESCRIPTION
12.5 X 19/64 X 1-1/4	DWRS125G	50lbs	BOX	DW RING SHANK, ELECTRO GALVINIZED
12.5 X 19/64 X 1-1/4	DWRS125B	50lbs	BOX	DW RING SHANK, BLUED
12.5 X 19/64 X 2	DWRS200B	50lbs	BOX	DW RING SHANK, BLUED



Heavy Gauge Metal Framing - Self Drilling Screws

Pan Head Driller

HEAVY GAUGE METAL Framing

SIZE	PART NO.	WEIGHT	QTY	DESCRIPTION
6 X 7/16	192	38lbs	15M	PAN HEAD, DRILL POINT, #2PHIL, CLEAR ZINC



Framing screw for 20-14 ga.

**No. 2 Phillips recess
Pan head, drill point**

Coating: Clear zinc

Heavy Gauge Metal Framing - Self Drilling Screws

Wafer Head Driller

HEAVY GAUGE METAL Framing

SIZE	PART NO.	WEIGHT	QTY	DESCRIPTION
8 X 1/2	34Z	37lbs	10M	WAVER HEAD, DRILL POINT, #2PHIL, CLEAR ZINC
8 X 1	35Z	27lbs	5M	WAVER HEAD, DRILL POINT, #2PHIL, CLEAR ZINC
8 X 1-1/4	36Z	32lbs	5M	WAVER HEAD, DRILL POINT, #2PHIL, CLEAR ZINC
8 X 1-5/8	37Z	31lbs	4M	WAVER HEAD, DRILL POINT, #2PHIL, CLEAR ZINC
8 X 2	376Z	23lbs	2.5M	WAVER HEAD, DRILL POINT, #2PHIL, CLEAR ZINC
10 X 3/4	234Z10CW	26lbs	5M	WAVER HEAD, DRILL POINT, #2PHIL, CLEAR ZINC



Attaches metal lath to 20-14 ga. steel studs and framing.

**No. 2 Phillips recess
Wafer head, drill point**

Coating: Clear zinc

Hex Head Driller

HEAVY GAUGE METAL General

SIZE	PART NO.	WEIGHT	QTY	DESCRIPTION
8 X 1/2	08050H	37lbs	10M	8 GUAGE HEX HEAD DRILLER, CLEAR ZINC
10 X 3/4	10075H3	30lbs	5M	10 GUAGE HEX HEAD DRILLER, CLEAR ZINC
12 X 1	12100H3	40lbs	3.5M	12 GUAGE HEX HEAD DRILLER, CLEAR ZINC
14 X 1	14100H3	52lbs	3.5M	14 GUAGE HEX HEAD DRILLER, CLEAR ZINC



Attaches fixtures, backup plates, door frames and lathers channel to structural studs, metal checks, etc. 20-14 ga.

Hex head, drill point

Coating: Clear zinc

Light Gauge Metal Framing - Self Tapping Screws

Pan Head Vector™ Point

LIGHT GAUGE METAL Framing

PART NO.	SIZE	WEIGHT	QTY	DESCRIPTION
23V	7 x 7/16-in	42lb	15M	PAN HEAD, #2PHIL, VECTOR THREAD, PHOSPHATE



- ▶ Faster seating
- ▶ Sharper/steeper angle point
- ▶ Faster penetration
- ▶ Better holding power

Pan head Vector™ point fasteners are designed for exceptionally fast driving into 25-20 ga. steel. Unique grip-tight, high torque pan-head design.

- Pan head
- Fine thread
- Vector point
- No. 2 Phillips
- Grey phosphate

PRO-FIT™ recess for fewer camouts.

Steep-angled point drives up to 50% faster than traditional metal framing fasteners



Serrated under surface for better holding power

Vector™ sharp point for faster starts and quick penetration

Wafer Head Vector™ Point

LIGHT GAUGE METAL Framing

PART NO.	SIZE	WEIGHT	QTY	DESCRIPTION
31V	7 x 9/16-in	35lb	10M	WAVER HEAD, #2PHIL, VECTOR THREAD, PHOSPHATE



- ▶ Faster seating
- ▶ Sharper/steeper angle point
- ▶ Faster penetration
- ▶ Better holding power

Wafer head Vector™ point fasteners are designed for exceptionally fast driving into 25-20 ga. steel. Attaches lath to light gauge metal.

- Wafer head
- Fine thread
- Vector point
- No. 2 Phillips
- Grey phosphate

Steep-angled point drives up to 50% faster than traditional metal framing fasteners



PRO-FIT™ recess for fewer camouts.

Vector™ sharp point for faster starts and quick penetration



Light Gauge Metal Framing - Self Tapping Screws

Pan Head Streaker®



LIGHT GAUGE METAL Framing

Framing screw for 25-20 ga. Unique grip-tight, high torque pan head.

**#2 Square recess
Pan head, fine thread**

Coating: Clear zinc

SIZE	PART NO.	WEIGHT	QTY	DESCRIPTION
8 X 9/16	21Z	33lbs	10m	PAN HEAD, #2 SQUARE RECESS, FINE THREAD, CLEAR ZINC
8 x 1-1/2	908QZ	34lbs	5m	PAN HEAD, #2 SQUARE RECESS, FINE THREAD, CLEAR ZINC

Wafer Head Streaker®



LIGHT GAUGE METAL Framing

Attaches metal lath to wood or to 25-20 ga. steel studs and framing.

**No. 2 Phillips recess
Wafer head, fine thread**

Coating: Clear zinc

SIZE	PART NO.	WEIGHT	QTY	DESCRIPTION
8 X 9/16	31Z	37lbs	10M	WAFER HEAD, FINE THREAD, #2PHIL, CLEAR ZINC
8 X 1	32Z	26lbs	5M	WAFER HEAD, FINE THREAD, #2PHIL, CLEAR ZINC
8 X 1-1/4	33Z	31lbs	5M	WAFER HEAD, FINE THREAD, #2PHIL, CLEAR ZINC
8 X 1-1/2	3138Z	21lbs	3M	WAFER HEAD, FINE THREAD, #2PHIL, CLEAR ZINC
8 X 2	3151Z	22lbs	2.5M	WAFER HEAD, FINE THREAD, #2PHIL, CLEAR ZINC

Hex Head Streaker®



LIGHT GAUGE METAL Framing

High-torque washer head for fast framing and sheet metal work in 25-20 ga. use 1/4" nut setter.

Coating: Clear zinc

SIZE	PART NO.	WEIGHT	QTY	DESCRIPTION
8 X 9/16	25SZ	33lbs	10M	HEX HEAD, #1 SQUARE RECESS, FINE THREAD, CLEAR ZINC
8 X 1	25100Z	36lbs	7.5M	HEX HEAD, FINE THREAD, CLEAR ZINC
8 X 1 1/2	25150Z	32lbs	5M	HEX HEAD, FINE THREAD, CLEAR ZINC

Acoustical Eye-Lag Screws

Eye-lag Screws



INTERIOR WOOD Hanger

Attaches hanger wire to wooden ceiling joist.

Coating: Clear zinc

SIZE	PART NO.	WEIGHT	QTY	DESCRIPTION
1/4 X 3	3ELZ	23lbs	1M	EYE LAG FOR WOODEN JOIST ATTACHMENT, CLEAR ZINC
1/4 X 4	4ELZ	32lbs	1M	EYE LAG FOR WOODEN JOIST ATTACHMENT, CLEAR ZINC
1/4 X 5	5ELZ	40lbs	1M	EYE LAG FOR WOODEN JOIST ATTACHMENT, CLEAR ZINC

Eye-lag Screws



LIGHT GAUGE METAL Hanger

Attaches hanger wire to steel deck or joist ceiling. 25-20 ga.

Coating: Clear zinc

SIZE	PART NO.	WEIGHT	QTY	DESCRIPTION
1/4 X 2-7/8	H-3	28lbs	1M	EYE LAG SELF TAPPING SHARP POINT, CLEAR ZINC

Eye-lag Screws



HEAVY GAUGE METAL Hanger

Attaches hanger wire to steel deck or joist ceiling. 20-14 ga.

Coating: Clear zinc

SIZE	PART NO.	WEIGHT	QTY	DESCRIPTION
1/4 X 2	H-2	36lbs	1M	EYE LAG DRILL POINT, CLEAR ZINC
1/4 X 2-3/4	H-4	27lbs	1M	EYE LAG DRILL POINT, CLEAR ZINC
1/4 X 3	H-1	34lbs	1M	EYE LAG DRILL POINT, CLEAR ZINC

Eye Lag Pole



Note: Other sizes available upon request

Item No.	Description
LM6	Eye Lag Pole, 6'
LM12	Eye Lag Pole, 12'
LM18	Eye Lag Pole, 18'
LM24	Eye Lag Pole, 24'

CB Clips

CB Clips

Frame an 8 foot column or beam in under 2 minutes with Grabber column and beam clips

With Grabber® Fireproofing Column and Beam Drywall Clips, steel columns are fireproofed, and provide a finished coded drywall surface, ready for final decoration.

Get it done much faster! Saves you an incredible 65% in fireproof production time over spray-on fireproofing, including decorative enclosure.

Saves 65% in Production Time!

- ▶ Use half the material
- ▶ No loss of usable floor space
- ▶ Snaps on by hand...no tools required
- ▶ Application time 75 seconds per column
- ▶ 12 operations per column vs. 80
- ▶ Approved by Underwriters' Laboratories

Item No. CB60**Patent# 6067691**

60/Bx

**Underwriters
Laboratories Inc.®****Acoustical Toggle Bolts**

SpringShot™ Self-Centering

US Patent # 5,702,218
US Patent # 5,898,987
Canadian Patent # 2,184,422

Item No. SFAST

ANCHOR - 1/4 X 5 SPRING TOGGL
Packaged 100 per box @ 11lbs.



The SpringShot™ Acoustical Toggle easily installs into various material thicknesses with little or no adjustment.



Installation is as simple as:
1. Prepare an opening as usual
2. Insert the toggle
3. Adjust if needed

- ▶ Special spring design – self tightening & self-centering
- ▶ One size fits all applications
- ▶ Helps eliminate migrating sounds
- ▶ Will not loosen under vibration
- ▶ Project designer preferred

The patented SpringShot™ Acoustical Toggle is widely popular with the trades because of its ease of installation. Designers have recognized the SpringShot Acoustical toggle's features as a significant advancement to traditional overhead fastening toggle bolts rendering the old fashion toggles obsolete. The SpringShot's self-centering washer is a vast improvement over old style acoustical toggles, making correct installation effortless. The patented spring action provides continuous pressure keeping the toggle fixed and secure, and won't loosen over time even with vibration.

The SpringShot Acoustical Toggle easily installs into various material thicknesses with little or no adjustment.

Small box program

Grabber's 1lb program is delivered in a 2-1/4" W x 2-1/2" H x 4-3/4" L box with a window on top. There are 6 different boxes organized and color-coded by super-category. Color coding matches the rest of the Grabber screw program for 5lb and bulk. Screw specific information is contained on a color-coded label. Each 1lb program master case contains 6 1lb boxes.



Grabber's 5lb program is delivered in a plastic pail with color coded lids. There are 6 different color lids representing super-categories. 5lb program labels are also color coded to match the lids. Color coding aligns with color coding for the 1lb and bulk programs. Each 5lb program master case contains 4 5lb pails.

Bugle Head GRABBER®



INTERIOR WOOD Drywall

Attaches gypsum board to wood with superior holding power. Extra sharp point and threads make driving easier.

**No. 2 Phillips recess
Bugle head, coarse thread**

Coating: Grey phosphate

SIZE	1lb.	Case Qty	5lb.	Case Qty	DESCRIPTION
6 X 1-1/8	X200	6	VB200	4	BUGLE HEAD, #2PHIL, COARSE THREAD, GREY PHOSPHATE
6 X 1-1/4	X300	6	VB300	4	BUGLE HEAD, #2PHIL, COARSE THREAD, GREY PHOSPHATE
6 X 1-5/8	X400	6	VB400	4	BUGLE HEAD, #2PHIL, COARSE THREAD, GREY PHOSPHATE
7 X 2	X500	6	VB500	4	BUGLE HEAD, #2PHIL, COARSE THREAD, GREY PHOSPHATE
7 X 2-1/4	X600	6	VB600	4	BUGLE HEAD, #2PHIL, COARSE THREAD, GREY PHOSPHATE
8 X 2-1/2	X900	6	VB900	4	BUGLE HEAD, #2PHIL, COARSE THREAD, GREY PHOSPHATE
8 X 3	X1100	6	VB1100	4	BUGLE HEAD, #2PHIL, COARSE THREAD, GREY PHOSPHATE

Bugle Head Laminator



INTERIOR WOOD Drywall

For temporary fastening of gypsum in laminated drywall construction.

**No. 2 Phillips recess
Bugle head, coarse thread**

Coating: Grey phosphate

SIZE	1lb.	Case Qty	5lb.	Case Qty	DESCRIPTION
10 X 1-1/2	X12	6	VB12	4	BUGLE HEAD, #2PHIL, COARSE THREAD, GREY PHOSPHATE

Use with Grabber drywall adhesive, item number: **GDWAF**

Bugle Head Streaker®



LIGHT GAUGE METAL Drywall

Attaches gypsum board to 25-20 ga. steel. Standard bugle head.

**No. 2 Phillips recess
Bugle head, fine thread**

Coating: Grey phosphate

SIZE	1lb.	Case Qty	5lb.	Case Qty	DESCRIPTION
6 X 1	X168	6	VB168	4	BUGLE HEAD, #2PHIL, FINE THREAD, GREY PHOSPHATE
6 X 1-1/8	X268	6	VB268	4	BUGLE HEAD, #2PHIL, FINE THREAD, GREY PHOSPHATE
6 X 1-1/4	X368	6	VB368	4	BUGLE HEAD, #2PHIL, FINE THREAD, GREY PHOSPHATE
6 X 1-5/8	X468	6	VB468	4	BUGLE HEAD, #2PHIL, FINE THREAD, GREY PHOSPHATE
6 X 2	X768	6	VB768	4	BUGLE HEAD, #2PHIL, FINE THREAD, GREY PHOSPHATE
7 X 2-1/4	X868	6	VB868	4	BUGLE HEAD, #2PHIL, FINE THREAD, GREY PHOSPHATE
8 X 2-1/2	X968	6	VB968	4	BUGLE HEAD, #2PHIL, FINE THREAD, GREY PHOSPHATE
8 X 3	X1168	6	VB1168	4	BUGLE HEAD, #2PHIL, FINE THREAD, GREY PHOSPHATE
10 X 3-1/2	X1268	6	VB1268	4	BUGLE HEAD, #2PHIL, FINE THREAD, YELLOW ZINC
10 X 4	X1368	6	VB1368	4	BUGLE HEAD, #2PHIL, FINE THREAD, YELLOW ZINC
10 X 5	n/a	n/a	VB1568	4	BUGLE HEAD, #2PHIL, FINE THREAD, YELLOW ZINC
10 X 6	n/a	n/a	VB1568	4	BUGLE HEAD, #2PHIL, FINE THREAD, YELLOW ZINC

Pan Head Vector™ Point



LIGHT GAUGE METAL Framing

Pan head Vector™ point fasteners are designed for exceptionally fast driving into 25-20 ga. steel. Unique grip-tight, high torque pan-head design.

- Pan head
- Fine thread
- Vector point
- No. 2 Phillips
- Grey phosphate

SIZE	1lb.	Case Qty	5lb.	Case Qty	DESCRIPTION
7 X 7/16	X23V	6	VB23V	4	PAN HEAD, #2PHIL, VECTOR THREAD, PHOSPHATE

Wafer Head Streaker®



LIGHT GAUGE METAL Framing

Attaches metal lath to wood or to 25-20 ga. steel studs and framing.

**No. 2 Phillips recess
Wafer head, fine thread**

Coating: Grey Phosphate
Clear Zinc

SIZE	1lb.	Case Qty	5lb.	Case Qty	DESCRIPTION
7 X 9/16	X31V	6	VB31V	4	WAFER HEAD, #2PHIL, VECTOR THREAD, GREY PHOSPHATE
8 X 9/16	X31Z	6	VB31Z	4	WAFER HEAD, FINE THREAD, #2PHIL, CLEAR ZINC
8 X 1	X32Z	6	VB32Z	4	WAFER HEAD, FINE THREAD, #2PHIL, CLEAR ZINC
8 X 1-1/4	X33Z	6	VB33Z	4	WAFER HEAD, FINE THREAD, #2PHIL, CLEAR ZINC
8 X 1-1/2	X3138Z	6	VB3138Z	4	WAFER HEAD, FINE THREAD, #2PHIL, CLEAR ZINC
8 X 2	X3151Z	6	VB3151Z	4	WAFER HEAD, FINE THREAD, #2PHIL, CLEAR ZINC



Small Box Program

Trim Head Streaker®



LIGHT GAUGE METAL Trim


Attaches wood trim over single or double layer gypsum board, to wood or to 25-20 ga. steel.

No. 1 Square recess
Trim head, fine thread

Coating: Grey phosphate

SIZE	1lb.	Case Qty	5lb.	Case Qty	DESCRIPTION
7 X 1-5/8	X17S	6	VB17S	4	TRIM HEAD, FINE THREAD, #1SQ, GREY PHOSPHATE
7 X 2-1/4	X18S	6	VB18S	4	TRIM HEAD, FINE THREAD, #1SQ, GREY PHOSPHATE
8 X 3	X17S76	6	VB17S76	4	TRIM HEAD, FINE THREAD, #1SQ, GREY PHOSPHATE

Scavenger® Head Driller



HEAVY GAUGE METAL Drywall

Attaches gypsum, insulation board, wood, etc. to metal studs 20-14 ga.

No. 2 Phillips recess
Scavenger head, drill point

Coating: clear zinc

SIZE	1lb.	Case Qty	5lb.	Case Qty	DESCRIPTION
6 X 1	X13SZ	6	VB13SZ	4	SCAVENGER HEAD, DRILL POINT, #2PHIL, CLEAR ZINC
6 X 1-1/4	X14SZ	6	VB14SZ	4	SCAVENGER HEAD, DRILL POINT, #2PHIL, CLEAR ZINC
6 X 1-5/8	X15SZ	6	VB15SZ	4	SCAVENGER HEAD, DRILL POINT, #2PHIL, CLEAR ZINC
6 X 1-7/8	X16SZ	6	VB16SZ	4	SCAVENGER HEAD, DRILL POINT, #2PHIL, PHOSPHATE
8 X 2-3/8	X30SSZ	6	VB30SSZ	4	SCAVENGER HEAD, DRILL POINT, #2PHIL, CLEAR ZINC
8 X 2-5/8	X30MSZ	6	VB30MSZ	4	SCAVENGER HEAD, DRILL POINT, #2PHIL, CLEAR ZINC
8 X 3	X30LSZ	6	VB30LSZ	4	SCAVENGER HEAD, DRILL POINT, #2PHIL, CLEAR ZINC

Wafer Head Driller



HEAVY GAUGE METAL Framing

Attaches metal lath to 20-14 ga. steel studs and framing.

No. 2 Phillips recess
Wafer head, drill point

Coating: Clear zinc

SIZE	1lb.	Case Qty	5lb.	Case Qty	DESCRIPTION
8 X 1/2	X34Z	6	VB34Z	4	WAFER HEAD, DRILL POINT, #2PHIL, CLEAR ZINC
8 X 1	X35Z	6	VB35Z	4	WAFER HEAD, DRILL POINT, #2PHIL, CLEAR ZINC
8 X 1-1/4	X36Z	6	VB36Z	4	WAFER HEAD, DRILL POINT, #2PHIL, CLEAR ZINC
8 X 1-5/8	X37Z	6	VB37Z	4	WAFER HEAD, DRILL POINT, #2PHIL, CLEAR ZINC
8 X 2	X376Z	6	VB376Z	4	WAFER HEAD, DRILL POINT, #2PHIL, CLEAR ZINC
10 X 3/4	X234Z10CW	6	VB234Z10CW	4	WAFER HEAD, DRILL POINT, #2PHIL, CLEAR ZINC

Pan Head Driller



HEAVY GAUGE METAL Framing

Framing screw for 20-14 ga.

No. 2 Phillips recess
Pan head, drill point

Coating: Clear zinc

SIZE	1lb.	Case Qty	5lb.	Case Qty	DESCRIPTION
6 X 7/16	X19Z	6	VB19Z	4	PAN HEAD, DRILL POINT, #2PHIL, CLEAR ZINC

Flat Wafer Head



For Wood

CEMENT BOARD Sheathing

Attaches cement board to wood and steel. With .40 diameter head and GrabberGard® Exterior Coating.

No. 2 Phillips recess
Flat wafer head, high-low thread or drill point

Coating: Grey GrabberGard®

SIZE	1lb.	Case Qty	5lb.	Case Qty	DESCRIPTION
For Wood					
8 X 1-1/4	XGCB8125HL	6	VBGCB8125HL	4	FLAT WAFER HEAD, ALT THREAD, #2PHIL, GRABBERGARD
8 X 1-5/8	XGCB8158HL	6	VBGCB8158HL	4	FLAT WAFER HEAD, ALT THREAD, #2PHIL, GRABBERGARD
8 X 2-3/8	XGCB8238HL	6	VBGCB8238HL	4	FLAT WAFER HEAD, ALT THREAD, #2PHIL, GRABBERGARD
For Metal					
8 X 1-1/4	XGCB8125SD	6	VBGCB8125SD	4	FLAT WAFER HEAD, SELF DRILL, #2PHIL, GRABBERGARD
8 X 1-5/8	XGCB8158SD	6	VBGCB8158SD	4	FLAT WAFER HEAD, SELF DRILL, #2PHIL, GRABBERGARD
8 X 2-3/8	XGCB8238SD	6	VBGCB8238SD	4	FLAT WAFER HEAD, SELF DRILL, #2PHIL, GRABBERGARD

Drywall Nails



INTERIOR WOOD Drywall

Coating: Electro Galvanized

SIZE	5lb.	Case Qty	DESCRIPTION
12.5 X 19/64 X 1-1/4	VBWRS125G	4	DW RING SHANK, ELECTRO GALVANIZED

Eye-lag Screws



INTERIOR WOOD Hanger

Attaches hanger wire to wooden ceiling joist.

Coating: Clear zinc

SIZE	1lb.	Case Qty	5lb.	Case Qty	DESCRIPTION
1/4 X 3	X3ELZ	6	VB3ELZ	4	EYE LAG FOR WOODEN JOIST ATTACHMENT, CLEAR ZINC

Eye-lag Screws



LIGHT GAUGE METAL Hanger

Attaches hanger wire to steel deck or joist ceiling. 25-20 ga.

Coating: Clear zinc

SIZE	1lb.	Case Qty	5lb.	Case Qty	DESCRIPTION
1/4 X 2-7/8	n/a	n/a	VBH3	4	EYE LAG SELF TAPPING SHARP POINT, CLEAR ZINC

Eye-lag Screws



HEAVY GAUGE METAL Hanger

Attaches hanger wire to steel deck or joist ceiling. 20-14 ga.

Coating: Clear zinc

SIZE	1lb.	Case Qty	5lb.	Case Qty	DESCRIPTION
1/4 X 2	n/a	n/a	VBH2	4	EYE LAG DRILL POINT, CLEAR ZINC

Metal Frame - Residential and Commercial Collated Screw Applications

SuperDrive® Auto-feed Fastening System

05 Series

ITEM# Description
0525IT Makita, 2500RPM, w/feed track, no extension
0525XT Makita, 2500RPM, w/extension
Use for steel to steel application from 3/4" to 1-1/4".

55 Series

ITEM# Description
5540DTG Grabber Rocker, 4000 RPM, w/drywall clip, no extension
5540XTG Grabber Rocker, 4000 RPM, w/extension
Use for drywall application from 1" to 2".

75 Series

ITEM# Description
7525XT Grabber Rocker, 2500 RPM w/extension
7540XT Grabber Rocker, 4000 RPM w/extension
Use for wood to wood application from 3/4" to 3".

85 Series

ITEM# Description
SDFD25IT Makita, 2500RPM, feed track, no extension
SDFD25XT Makita, 2500RPM, w/extension
Use for steel to steel application from 3/4" to 7/8".
Narrow nose design to fit tight spaces.

NEW SuperDrive® N7

GRABBER SuperDrive® N7 Series

**Convert your favorite driver into an
AUTO-FEED FASTENING TOOL!
...in just seconds**

SuperDrive® N7 head with Drywall Clip Features:

- ▶ Quick adjustment for fastener length from 3/4-in - 2-3/16-in
- ▶ Use with screw diameters from 6 - 12 gauge
- ▶ Simple design, easy to service
- ▶ Compact and lightweight industrial-strength design
- ▶ SureLock™ fine depth control adjustment
- ▶ Works with DeWalt, Makita and Hitachi drivers

Recommended Applications:

- ▶ Drywall and sheathing to wood or metal
- ▶ Metal to metal construction
- ▶ Wood to wood construction

The new SuperDrive N7, is a light weight easy-to-use automated fastening tool designed to work with your favorite driver. N7 works with DeWalt, Makita and Hitachi screw guns.

Use with your choice of DeWalt, Makita, Hitachi or Grabber Rocker power tool.



SDN7M1 for use with Makita XSF03, FS4200, FS4300



SDN7D2 for use with DeWalt DCF620M2 or DCF620D2



SDN7D1 for use with Rocker 4060, 4063 and DeWalt DW272, DW266, DW274K



1 DRYWALL Ply/OSB - Fine Thread

Interior Sharp Point

#6 x 1-1/4" Bugle Head - C368
#6 x 1-5/8" Bugle Head - C468
#6 x 2" Bugle Head - C768

Interior Drill Point

#6 x 1-1/4" Bugle Head - C14Z
#6 x 1-5/8" Bugle Head - C15Z
#7 x 1-7/8" Bugle Head - C16Z

2 SUBFLOOR Ply/OSB - Fine Thread

Piercing Point 18 - 16 Ga. "STABBER"

#8 x 1-1/2" Flat Head - CS8150JBWYZ - LOX2

3 METAL FRAMING Metal to Metal

Drill Point 20 - 14 Ga. 18TPI

#10 x 3/4" Flat Pan Head - CFP101875LYZ - LOX2



SUPERDRIVE - Professional Series SDN7 tools

ITEM#	Description	WORKS WITH	BIT TIPS
SDN7M1	N7 Series Head - Makita Corded and Cordless	FS4200, FS4300, XSF03	(Bit - CF155 w/E-Ring)
SDN7D1	N7 Series Head - Rocker Screwguns and DeWalt Corded	4060, 4063, DW272, DW266, DW274K	(Bit - CF155 w/E-Ring)
SDN7D2	N7 Series Head - DeWalt Cordless	DCF620M2 or DCF620D2	(Bit - CF155)

Wood Frame - Residential Collated Screw Applications

4 DRYWALL Ply/OSB - Coarse Thread

Interior Sharp Point



#6 x 1-1/4" Bugle Head - C300
#6 x 1-5/8" Bugle Head - C400
#7 x 2" Bugle Head - C500

5 SUBFLOOR Wood - Coarse Thread

Interior Sharp Point



#7 x 1-1/4" Flat Head - C7125UL2 - LOX2
#8 x 1-3/4" Flat Head - C8175L3YZ - LOX3
#8 x 1-3/4" Flat Head - C8175SFJBW - LOX2
#8 x 2" Flat Head - C8200L3YZ - LOX3
#8 x 2-1/2" Flat Head - C8250L3YZ - LOX3
#8 x 3" Flat Head - C8300L3YZ - LOX3


6 DECKS Coarse Thread

Exterior Sharp Point




#8 x 2" Flat Head - C8200L2M - LOX2
#8 x 2-1/2" Flat Head - C8250L2M - LOX2
#9 x 3" Flat Head - C9300L2M - LOX2

RESIDENTIAL APPLICATIONS



COMMERCIAL APPLICATIONS



All GrabberGard[®] coated fasteners are ACO approved for use in all pressure treated lumber.



SuperDrive is state-of-the-art:

We offer four tools--SuperDrive 05, 55, 75, and 85 series.

- ▶ The 05 drives screws from 3/4" to 2" and is most often used for metal to metal construction.
- ▶ The 55 drives screws from 1" to 2" and is commonly used for drywall.
- ▶ The 75, our most versatile tool, drives screws from 3/4" to 3" and is very popular for subfloor, roof tile, docks and decks.
- ▶ The 85 is for metal framing, and metal roof stitching, and drives 3/4" - 7/8" screws.

The SuperDrive System is a modular, professional system. The tools described above are combined with any number of screws and two nosepiece types to meet the specific demands of particular applications. SuperDrive can be used with or without an extension.

SuperDrive is simply the best:

- ▶ Will not jam
- ▶ Rapid change bits
- ▶ 50 screws per strip
- ▶ Low maintenance modular design
- ▶ Custom designed hardened nosepiece
- ▶ Accurate depth control
- ▶ Drives at angles
- ▶ Works in narrow and restricted spaces



LOX[®]
DRIVE SYSTEM

- Less Waste
- Less Wobble
- Less Cam Out
- Fewer Splinters
- Stick Fit
- High Torque
- Drives Off Angle
- Exceptional Bit-tip Life

If you use power tools. . . you should use screws designed for power tools



Insert Bits and Bit Holders

Phillips Bit Tips

Item No.	Size	Description	Length
2BIT	No. 2	Phillips Bit (reduced)	1"



Locking Style Magnetic Bit Drivers

Item No.	Size	Description
MBH143	1/4 X 3"	Magnetic Bit Holder
MBHM143	1/4 X 3"	Magnetic Bit Holder



Eye Lag Adapter

Item No.	Description
ELAT	Eye Lag Installation tool



Square Bit Tips

Item No.	Size	Description	Length
2QBIT	No. 2	Square Bit	1"



LOX® Bit Tips

Item No.	Size	Description	Length
1002L	No. 2	LOX Bit	1"
1003L	No. 3	LOX Bit	1"
2002L	No. 2	LOX Bit	2"
2003L	No. 3	LOX Bit	2"



LOX® recess is a technologically advanced driver system engineered for high-torque applications. LOX grabs hard and sinks even harder, giving you positive joint reliability with predictable results every time.

Bits

Grabber #2BIT

Now available in a convenient counter display — Packaged 10 bits per bag 30 bags per bucket



**THE MOST ASKED FOR
BIT TIP IN THE WORLD!**

WHY?

**THE PERFECT MATCH TO THE
GRABBER SCREWS' RECESS.**



Item No. 2BIT10

Temporary Carpet Protection

Carpet Shield™

Carpet Shield is the best temporary carpet protection you can buy.

It is a clear, self-adhearing protective film for most types of carpeting and with a special blend of polyethylene, is highly resistant to tears or punctures and won't shift once applied. Ideal during remodeling, painting and moving. It minimizes clean up and damage claims, Carpet Shield is available in a variety of sizes, including reverse-wound.

PRODUCT FEATURES

- ▶ Self-adhearing film designed to protect carpeting
- ▶ Protect clients' carpeting from damage claims
- ▶ Ideal protection during inclement weather
- ▶ Highly resistant to tears and punctures
- ▶ Protects all types of carpeting for up to 30 days

Item No. GCG24200

24-IN X 200-FT

Item No. GCG36200

36-IN X 200-FT




**TOUGHER
THAN THE
JOBSITE.™**

DeckMaster®**DECKMASTER® Brackets**

The DECKMASTER® system comes complete with brackets and the exact screws you need to make your job easy. Choose from our ACQ approved stainless steel or ACQ approved powder coated brackets. Powder coated DECKMASTER® brackets are colored to blend in with the color of your deck and are guaranteed to hold your boards in place for 50 years. Stainless steel brackets stand up to the harshest environments and are guaranteed to last a lifetime.

**Lifetime beauty above,
hidden strength below**

POWDER COATED
50
YEAR GUARANTEE
DECKMASTER



**Deckmaster™ Powder
Coated Bracket and Screws**

Joist Jaw™**JOIST JAW™**

The Grabber® Joist Jaw™ is the perfect accessory for the Professional Wood Framer. Like a second pair of hands, the Joist Jaw holds up the rafters and joists, eliminating the need for two people. The Joist Jaw™ automatically levels the crossmember with the rimjoist or ledger giving the framer a "hands free" position while installing the joist hanger or other connectors. With just a couple of twists, the Joist Jaw™ clamps down on its target from the top or the bottom and holds your lumber tight! This tool increases the accuracy and production of a 2 man framing crew whether they're building a deck, a roof or a floor, saving time and money. The Joist Jaw™ is reusable and made of zinc plated durable steel. Package comes complete with 2 Joist Jaws.

A Builder's Extra Hands

Two Joist Jaws included in each
package



**Exclusive Patented Design
Pat. No. 6,443,441 B1**

**Item No. GJJ2
Shipping weight 5lbs**

Utility Knife**Utility Knives**

Yep! Just a twist... the handle "clam shells" open and you're ready to position a new blade or flip around the old one! No screwdriver required! Comes with FIVE extra sharp, extra long lasting GRABBER drywall blades.



Item No. K1992



Item No. IB1992

**Extra Sharp. . . Extra Long
Lasting! 100 Blades Per
box (5 packs of 20)**

Mesh Tape**Fiberglass Drywall Tape**

- ▶ **Faster to Apply**
- ▶ **No Stapling**
- ▶ **More Efficient**
- ▶ **No Pre-pasting**
- ▶ **No Shrinking**
- ▶ **Easier to Use**



Packed in master cartons of 36 rolls to
a carton...60 cartons to a pallet.

Item No. GMT200500F

Abrasives**Grabber Premium Abrasives****Type 1 Premium Aluminum Oxide Cut-off or Cutting Wheels**

Grabber cutting and grinding wheels are purpose formulated for the tough tasks professional craftsmen face day in, day out. Grabber resin bonded wheels are engineered with the high performance and dependability you have come to expect from Grabber products. All our bonded abrasives are manufactured under the certification of the ISO9002 Quality organization. All Grabber bonded abrasive products have qualified and are certified by the MPAA German Safety Organization and exceed ANSI standards for safety.

- ▶ **Designed for use on stationary chop saws.**
- ▶ **Use as cutting tools on hand held grind machines.**
- ▶ **Aluminum Oxide for smooth cutting and longer tool life.**
- ▶ **For use on iron, steel, tubing and bar.**
- ▶ **For structural shapes such as steel studs and ferrous applications.**
- ▶ **Double layer of heavy-duty fiberglass for safety.**



**Item No. G21400
PREMIUM CHOP SAW BLADE**



**Item No. 1400
IMPACT METAL STUD EATER**

PART NO.	SIZE	RPM
G21400	14 X 3/32 X 1	4,400
1400	14 x 3/32 x 1-in	4,365

Glue it, Seal it & Protect it with Grabber!

Grabber professional strength adhesives and acoustical sealant are products that perform...this time and every time.

Grabber professional strength acoustical sealant and adhesives meet and exceed industry standards. Our application specific family of products all carry our money back guarantee.

Professional Strength Drywall Adhesive

High quality, non-staining waterproof adhesive developed for adhering drywall to structurally sound surfaces. Primarily designed for bonding gypsum board to wood or metal studs, laminating gypsum board to gypsum board, and bonding gypsum board to concrete or block walls. When applied as directed, this adhesive combined with the approved mechanical fastener is the preferred method for permanent, safe installations without weak points. Product is widely used in new construction of single-family and multi-family homes, manufactured housing, commercial construction, and all remodeling, remedial and renovation projects where gypsum products are installed.

- ▶ Helps eliminate nail-pops and call backs
- ▶ Reduces mechanical fasteners up to 50-60%
- ▶ Provides for greater strength and safety in wall & ceiling assemblies without weak points
- ▶ Bridges minor framing irregularities
- ▶ Waterproof and weatherproof
- ▶ Unaffected by cold weather

Item No. GDWAV



Professional Strength Sub-floor Adhesive

Premium grade construction adhesive developed for Glued Floor Systems. Product is designed for interior or exterior use and forms a permanent waterproof and weatherproof bond to dry, wet, frozen lumber, either treated or untreated with high shear strength. Adhesive is easy to use both on the job or on the production line. Ideal for use in most building projects that require adhesives.

- ▶ All weather formula
- ▶ Reduces nail pops and call backs
- ▶ Exceeds APA AFG-01 Specifications
- ▶ Bonds to most building materials with fast grab and high strength
- ▶ Allows single layer floor construction
- ▶ Reduces installation costs
- ▶ Permits extended spans

Item No. GSFAV



Professional Strength Acoustical Sound & Smoke Sealant

Non-flammable, water-based product developed specifically for the reduction of sound transmission in all types of wall partition systems. Easy application and easy cleanup. Used correctly and as directed, sealant will achieve and maintain specific STC (Sound Transmission Class) values specified for various wall system designs. This product should be used in office buildings, sound studios, hospitals, schools, hotels and motels, apartment complexes, and other areas where sound ratings are required. This sealant is also ideal for sealing out air infiltration and unwanted moisture in residential construction.

- ▶ Non-hardening, non-staining & non-migrating
- ▶ Maintains flexible seal against air-borne sound, air infiltration and moisture
- ▶ Easy application and easy cleanup
- ▶ UL tested and classified
- ▶ Low VOC green certified product

Item No. GSCSF



GrabberGard® fire caulks and sprays have been tested in accordance with rigorous industry standards and have been determined to be fungi resistant.



**Underwriters
Laboratories Inc.®**



GrabberGard® Endothermic Fire Caulk

A single component smoke and fire stopping sealant for wall and floor penetrations and other construction gap applications. During a fire, GrabberGard EFC absorbs heat and provides a fire barrier against fire and smoke.

- Available in:**
- ▶ 10 oz. cartridge - Item No. GGEFC10
 - ▶ 20 oz. sausage - Item No. GGEFC20
 - ▶ 29 oz. cartridge - Item No. GGEFC29
 - ▶ 5 gallon buckets - Item No. GGEFC5



GrabberGard® Intumescent Fire Caulk

A single component smoke and fire stopping sealant for wall and floor penetrations and other construction gap applications. During a fire, GrabberGard IFC expands to maintain a tight seal against fire and smoke.

- Available in:**
- ▶ 10 oz. cartridge - Item No. GGIFC10
 - ▶ 20 oz. sausage - Item No. GGIFC20
 - ▶ 29 oz. cartridge - Item No. GGIFC29
 - ▶ 5-gallon buckets - Item No. GGIFC5



GrabberGard® Endothermic Fire Spray

GrabberGard EFS is a effective fire-stop for joint assemblies, such as floor, floor to wall, wall, head of wall, and curtain wall to slab edge, in any combination of wood, concrete, concrete block, steel and gypsum materials.

Available in:

- ▶ 5-gallon buckets - Item No. GGEFS5





Screw Drivers

ROCKER™ Screw Drivers

- ▶ High Torque Pro Clutch Heavy-Duty Screw Driver
120V AC, 50-60 Hz
- ▶ 6.3 Amp HD 0 - 4,000 RPM Variable Speed Reversible
- ▶ Set & Forget Aluminum Depth Locator
Pop-on/Pop-off nosepiece
- ▶ Includes #2 Phillips Bit-tip and Magnetic Bit-tip
Holder 3.1 lbs. (1.4 Kg)



Item No. 4063 0-4000 RPM 6.3 AMP 3.1 lbs
 4025 0-2500 RPM 6.5 AMP 3.5 lbs

Sandpaper

Foam Backed Sandpaper

Sponge:

Cushion reduces resistance, allowing smoother ergonomic affect
 allows vibration to shake dust loose, reducing build-up on sanding surface



Cloth Backing:

minimizes tearing
 lasts 10 times longer than paper
 crease resistant
 durable when wet



Drywall Sanding Roll Size & Grit

Item No.	Size	Grit
GFB100	3 1/2" x 11 yds.	100
GFB120	3 1/2" x 11 yds.	120
GFB150	3 1/2" x 11 yds.	150
GFB180	3 1/2" x 11 yds.	180
GFB220	3 1/2" x 11 yds.	220

A unique new solution to old challenges

Spray Adhesive

Hang Tite® Fast Tacking Construction Adhesive



Item No. 747

PROPERTIES	GRABBER HANG TITE	3M 77	COMPARE
180° Peel Strength (PLI)	6.25	2.90	2-1/2 times greater bond strength
Shear Strength (PSI)	63.1	6.10	For stronger bonds, less failure
Green Shear Strength (PSI) - 5 min.	1.3	1.3	Both products develop bond strength
Does not Contain CFC's	Yes	Yes	Contains no ozone depleting chemicals
Uniform Mist Spray	Yes	No	Delivers a more uniform spray pattern
Color	Water White	Light Amber	Minimizes effect of overspray
Max Temp Temperature Resistance - Minutes @ 160F	183 9	163 4	Higher temperature capability reduces adhesive failure
Remains Pressure Sensitive	Yes	Yes	Long open time minimizes application errors
Temporary or Permanent Bonds	Yes	Yes	Versatile




NO-COAT FLEXIBLE CORNERS

These flex roll products are ideal for off-angle applications, both short and long runs, long columns and soffits. Wide flange covers large gaps and poor framing. Built-in flexible hinge fits any inside or outside corner angle and creates crisp, straight lines.

Flexible Corner 325
3.25" wide x 100' roll
(82.6 mm x 30.48 m)



Flexible Corner 450
4.5" wide x 100' roll
(114 mm x 30.48 m)



NO-COAT STICKS

One of our best selling products, NO-COAT Sticks are made with our patented SLAM design. NO-COAT pre-cut stick lengths withstand severe impacts, settling and seismic movements without cracking, denting, chipping or peeling. Easy to install lengths deliver perfect corners in record time. Use the CertainTeed DOUBLE BARREL HOPPER and No-Coat Rollers to ensure high speed installs and the best results.



INSIDE 90
8', 9', 10'
(2.4 m, 2.7 m, 3 m)

OUTSIDE 90
8', 9', 10', 12'
(2.4 m, 2.7 m, 3 m, 3.7 m)

1/2" L-TRIM
10'
(3 m)

5/8" L-TRIM
10'
(3 m)

3/8" BULLNOSE
8', 9', 10', 12'
(2.4 m, 2.7 m, 3 m, 3.7 m)

3/4" BULLNOSE
8', 9', 10', 12'
(2.4 m, 2.7 m, 3 m, 3.7 m)



NO-COAT ARCH

ARCH tape-on arches have notched flanges that flex and conform to any arch. Stiff profile fine-tunes poor framing and creates a perfectly smooth, round curve.

OUTSIDE 90
10' (3 m)

3/4" BULLNOSE
10' (3 m)



CertainTeed TOOLS allow for high speed installations and flawless results.

NO-COAT Rollers

Rollers press corners firmly and accurately into place, creating an absolute bond to the drywall



OUTSIDE 90



BULLNOSE



INSIDE 90



ONE SIDED

CertainTeed Double Barrel Hopper

The Double Barrel Hopper is set up for all angles, all the time. Install off-angles, inside 90s, bullnose, and outside 90s in record time.



Stainless steel gates accommodate off-angles, bullnose, inside and outside 90s.



LEVELLINE™


DRYWALL CORNER TRIM

Tapered Profile Design - makes finishing fast & easy. Outperforms flat flex at every angle.

Perfect for:

- Outside/inside corners
- Off-angles
- Tray ceilings
- Bay windows

- Tapered Plastic Core is indestructible - will not split or dent
- Joint Tape permanently bonds corner to drywall
- Memory-Free Hinge adjusts to any angle, eliminates pre-creasing, pre-measuring & allows instant application
- Formulated Surface Paper accepts any finish & resists abrasion



Easy-to-use applicator box design!


Built-in handles provide quick & easy application right out of the box!



Visit www.levelline.com

www.grabbercanada.ca

AquaBead®



AquaBead® installs as easy as spray, stick, done.



Using a spray bottle or pump sprayer, completely wet the adhesive side of the AquaBead® with clean, ordinary tap water. The warmer the water, the faster the activation.

After applying water, allow 20–30 seconds for the adhesive to become sticky.

Place the wet, adhesive side of the AquaBead on the wall corner, aligning it tightly to the ceiling.



Press the AquaBead® firmly by hand or with a roller, making sure the flanges contact the drywall surface completely.



AquaBead® corner can be filled after 30 minutes using All-Purpose or Finishing joint compound.



EASY TO CUT



APPLIES IN
SECONDS



DO NOT USE
A SPONGE

Tips and tricks

- Do not use a sponge as it will wipe away the adhesive.
- Add a bit of food coloring to the water to make it easier to see where you have sprayed.
- Save time by using a miter saw to cut multiple pieces of AquaBead to the same length.
- Create a guide with a pencil or chalk line to get straight corners, especially on bulkheads and long runs.



OUTSIDE 90°



BULLNOSE



L TRIM

CertainTeed
SAINT-GOBAIN



PANELMax

A new way of thinking about drywall



Item No. CM10
**PanelMax CM10 Portable
Panel Fabrication Unit**



Item No. FT30
**FT30 Full-Size Portable
Panel Fabrication Table**



Item No. ST48
**PanelMax ST48
Panel Fabrication Table**




Item No. 860200001001
**Hybrid CNC Enabled
Panel Fabrication Table**

ADVANCED PANEL FABRICATION

PanelMax is changing the future of interior construction and drywall finishing. Precision laser-guided milling insures perfect angles and accuracy in complex drywall assemblies that were previously difficult or time consuming to construct. PanelMax assemblies can be manufactured on site or delivered to the jobsite just in time. Now, even the most complex assemblies can be completed with less material and finishing costs.

- ▶ Save time with prefabricated panels
- ▶ Reduce costly trim and finishing
- ▶ Improve quality, perfect corners inside and out, perfect columns without the hassle and lead time



Grabber has you covered with more than just great fastening products. . .

To put it simply, Grabber can help you build a better product while simultaneously making you more money. Through constant innovation, Grabber continues to simplify the way you work by providing the best, most technologically advanced products available today.



Drywall Screws
Metal Framing Screws
Drywall Nails
Woody's
Cement Board Screws

Fasten it

Grabber has a full line of fasteners for just about any application. From drywall screws to heavy gauge framing screws Grabber has what you need. Grabber invented the drywall screw and changed an entire industry. For the past 40 years Grabber has been the name you can trust for professional grade fasteners.



SuperDrive
Screw Guns
Chop Saws

Drive it

Grabber's SuperDrive tool is designed to make driving screws faster and more accurate. Along with SuperDrive, Grabber offers many other tools that make your work easier including chop saws, routers, lasers and more.



Subfloor Adhesives
Drywall Adhesives
Acoustical Sealants
Fire Stopping Caulks

Caulk it

Grabber offers a complete line of caulks including sound control sealants, subfloor adhesives, drywall adhesives, insulation foam and more. Grabber also offers EFC and IFC fire stopping caulks and sealants.



NO-COAT® Stick Products
NO-COAT® ULTRAFLEX
HYDROTRIM®
Levelline

Finish it

Grabber has everything you need for finishing your drywall projects. From fiberglass mesh tape and spark perforated drywall tape to the innovative No-Coat® structural drywall system, Grabber has what you need to do the job right.

Quality every step of the way. . . the reason the pros choose Grabber

Grabber sweats the small stuff, and that makes all the difference

The professional's first choice for over 40 years, Grabber premium quality screws are built for performance. Sharper threads mean a better driving experience so Grabber changes thread dies more frequently. Tight recesses mean screws are less likely to cam-out and bit tips will last longer so Grabber changes recess dies more frequently. Consistent heat treating means screw heads will be less likely to pop off, so Grabber heat treats fewer screws at a time ensuring more even heat treatment. These are small things most people don't notice, but they are also small things that make the difference between average fasteners and professional grade fasteners.

Grabber is an international distributor of premium fasteners and fastening systems for wood, metal, and drywall applications in the commercial and residential construction markets. Grabber is home to the Deckmaster® Hidden Fastening System, the patented LOX® Drive System, and the SuperDrive Auto-Feed Fastening System. Grabber also distributes a wide range of proprietary tools and accessories, various equipment, and building materials to the construction industry.

Grabber screws and drywall nails are ICC ES (International Code Council Evaluation Service) evaluated, and engineered to meet or exceed the specifications for use, as prescribed in UBC 1997, IBC 2006, IRC 2006, IBC 2009, and IRC 2009. ASTM reports, approvals, shear, pullout and other technical information is available at www.grabberman.com

Grabber screws and nails are produced in an ISO 9001 and ISO 14001 approved and certified manufacturing environments. Grabber also supports a complete line of US manufactured construction fasteners that meet "Buy American" and the "American Reinvestment and Recovery Act" requirements. GrabberGard® exterior grade coated fasteners are rated for use in ACQ, pressure and fire treated lumber.



www.grabbercanada.ca

**Visit www.grabbercanada.ca or
call 800-567-8876
to find a dealer near you.**

